

# Product Specification

## CE-V6



### **Name: CE-V6**

Vehicle / Motorcycle GPS tracker

### **Technical parameter:**

- 1) .GSM: 850/900/1800/1900 Quad band
- 2) .GPRS: Class12, TCP/IP
- 3) .Working Voltage: 9-24V DC
- 4) .Working current:  $\approx 22\text{mA}$  (12vDC)
- 5) .Working current:  $\approx 12\text{mA}$  (24vDC)
- 6) .GPS locating time: Cold start $\approx 38\text{s}$  (Open sky)  
Warm start $\approx 32\text{s}$   
Hot start $\approx 2\text{s}$  (Open sky)
- 7) .GPS Precision: 10m (2D RM)
- 8) .Working temperature:  $-20^{\circ}\text{C} \sim +70^{\circ}\text{C}$
- 9) .Working humidity: 20% $\sim$ 80%RH
- 10) .Measurement: 87 (L)  $\times$  43 (W)  $\times$  14 (H) mm

### **Features: (CE-V6)**

1. Quad-band, Worldwide use
2. Supports GSM frequencies 850/900/1800/1900MHz
3. High-sensitivity, latest technology and the most advanced GPS chip
4. Can accurately position even if with weak signal
5. Can work effectively in limited space such as the remote and narrow places;
6. Compact size, easy for hiding
7. Low energy consumption
8. Fast signal capturing
9. Supports two modes: text message polling and GPRS trace tracking
10. Alarm function
11. Cut oil or circuit (extra relay will be needed )
12. Over speed alarm
13. Acc ignition detection
14. Vibration alarm
15. Sleep model