

Product Specification

GPS Tracker CE-08



CE-08

Multi-functional GPS tracker

1. Technical parameters

Operating voltage: DC 9~36V

Operating Temperature: -20°C~+70°C

Storage Temperature: -40°C~+85°C

Relative humidity: 5%~90%

Host consumption Average consumption <1W; Power-saving <300mW

Host Size: 110mm×104mm×28mm

Weight: 0.3Kg

GPS CHIP :U-blox chip

GSM MODULE :MG323 (Huawei)

Battery protection Anti-200V power supply reverse; battery voltage 9V low voltage protection;

battery voltage is 36V high-voltage protection

Working frequency band EGSM900/GSM1800 or CDMA 800MHz

Product Specifications:

Main functions

1. Positioning and Tracking: Through the on-line Positioning Platform or the cell phone to locates at times, and get the working status. You can choose the Positioning Platform by yourself.

2. History tracking

3. Image monitoring

User can complete image monitoring according their needs, this function has prominent used in passengers vehicles. Through GPS monitoring can remote manage vehicles real-time status. Through image monitoring can real time know vehicles carrier, it make effective function for management on three-super solution, and reduce road traffic, protect transportation security

4. Communication management

Terminal can be connected an external LCD, car mobile phone etc to achieve call function, hand-free phone, and can set all kinds of call restrictions. Such as dial phone restriction, answer telephone restrictions, allow some calls restrictions etc. Through GPRS / CDMA to communicate with center system by wireless data

5. Remote controlling oil and circuit: you can control the oil and circuit via the device by Platform in anywhere and anytime.

6. Mileage statistics; ACC checking; cutting off power and alarm.